5

20

WHAT IS CLAIMED IS:

- 1. An isolated polypeptide comprising the amino acid sequence of SEQ ID NO: 2, 4, 6, 8, or 10, and fragments thereof.
- 2. The isolated polypeptide of Claim 1, wherein the fragments comprise the amino acid residues 1 to 82 or 254 to 264 of SEQ ID NO: 2.
- 3. The isolated polypeptide of Claim 1, wherein the fragments comprise the amino acid residues 1 to 82, 118 to 146, or 283 to 292 of SEQ ID NO: 4.
- 4. The isolated polypeptide of Claim 1, wherein the fragments comprise the amino acid residues 36 to 64 or 201 to 211 of SEQ ID NO: 6.
- 5. The isolated polypeptide of Claim 1, wherein the fragments comprise the amino acid residues 1 to 82 or 118 to 146 of SEQ ID NO: 8.
- 6. The isolated polypeptide of Claim 1, wherein the fragments comprise the amino acid residues 36 to 64 of SEQ ID NO: 10.
- 7. An isolated nucleic acid encoding the polypeptide of any of Claims 1 to 6, and fragments thereof.
- 8. The isolated nucleic acid of Claim 7, which is the nucleotide sequence of SEQ ID NO: 1, 3, 5, 7, or 9.
- 9. The isolated nucleic acid of Claim 7, wherein the fragments comprise the nucleotides 1 to 115bp or 876 to 905bp of SEQ ID NO: 1.
- 10. The isolated nucleic acid of Claim 7, wherein the fragments comprise the nucleotides 1 to 115bp, 224 to 289bp, or 963 to 992bp of SEQ ID NO: 3.

5

- 11. The isolated nucleic acid of Claim 7, wherein the fragments comprise the nucleotides 1 to 115bp, 495 to 582bp, 561 to 648bp, or 1029 to 1058bp of SEQ ID NO: 5.
- 12. The isolated nucleic acid of Claim 7, wherein the fragments comprise the nucleotides 1 to 115bp, 495 to 582bp, 759 to 878bp, or 1083 to 1112bp of SEQ ID NO: 7.
- 13. The isolated nucleic acid of Claim 7, wherein the fragments comprise the nucleotides 1 to 115bp, 224 to 289bp, 561 to 648bp, 825 to 944bp, or 1149 to 1178bp of SEQ ID NO: 9.
- 14. An expression vector comprising the nucleic acid of any one of Claims 7 to 13.
 - 15. A host cell comprising the expression vector of Claim 14.
- 16. A method for producing the polypeptide of any one of Claims 1 to 6, which comprises the steps of
- (1) culturing the host cell of Claim 15 under a condition suitable for the expression of the polypeptide; and
 - (2) recovering the polypeptide from the host cell culture.
- 17. An antibody specifically binding to the polypeptide of any one of Claims 1 to 6.
- 18. The antibody of Claim 17 is a polyclonal or monoclonal antibody.
- 19. A method for detecting the presence of the nucleic acid of any one of Claims 7 to 13 in a mammal, which comprises the steps of:
- (1) extracting total RNA from a sample obtained from the mammal;

/ \`\

20

- amplifying the RNA /by reverse transcriptase-polymerase (2) chain reaction (RT-PCR) to obtain a cDNA sample;
- hybridizing the cDNA sample with the nucleic acid of any one (3) of Claims 7 to 13; and
 - detecting the amount of the hybridized sample. (4)
- 20. The method of Claim 17, wherein the hybridizing process is conducted by Northern blot approach or microarray approach.
- The method of Claim 19, which is useful in diagnosing non-21. small cell lung cancer.
- The method of Claim 21, wherein the non-small cell lung 22. cancer is large cell lung cancer.
- A method for detecting the presence of the polypeptide of any 23. one of Claims 1 to 6 in a mammal, which comprises the steps of contacting the antibody of Claim 17 or 18 with protein samples extracting from the mammal, and detecting the amount of antibody-antigen binding samples.
- The method of Claim 23, wherein the antibody-antigen 24. binding samples are detected by Western blot approach.
- The method of Claim 23, which is useful in diagnosing non-25. small cell lung cancer.
- The method of Claim 25, wherein the non-small cell lung 26. 20 cancer is large cell lung cancer.